ADRODDIAD PENNAETH CYNLLUNIO, CYFARWYDDIAETH YR AMGYLCHEDD

REPORT OF THE HEAD OF PLANNING,
DIRECTORATE OF ENVIRONMENT


AR GYFER PWYLLGOR CYNLLUNIO
CYNGOR SIR CAERFYRDDIN

TO CARMARTHENSHIRE COUNTY COUNCIL'S PLANNING COMMITTEE

AR 18 HYDREF 2018 ON 18 OCTOBER 2018

I'W BENDERFYNU FOR DECISION

ATODIAD ADDENDUM Ardal Dwyrain/ Area East



ADDENDUM - Area East

Application Number	E/34791
Proposal & Location	THE PROPOSED BRYN BUGAIL WIND TURBINE DEVELOPMENT WILL COMPRISE OF A SINGLE WIND TURBINE, WHICH WILL HAVE AN EMBEDDED CAPACITY OF UP TO 100KW WITH THE TURBINE MEASURING 37 METERS TO HUB HEIGHT, WITH A 24 METRE ROTOR DIAMETER, CREATING AN OVERALL BLADE TIP HEIGHT OF UP TO 49 METRES. THE WIND TURBINE WOULD BE LOCATED IN A FIELD WHICH IS CURRENTLY USED FOR GRAZING AND THIS USE CAN CONTINUE WITH THE WIND TURBINE PRESENT AT LAND AT BRYNBUGAIL, CARMARTHEN, SA32 7JX

DETAILS:

PLANNING POLICY

A correction is made to the Policy Section in the report whereby reference to National Policy is provided by Planning Policy Wales Edition 7 July 2014 should have correctly read:

"National Policy is provided by Planning Policy Wales Edition 9, November 2016".

CONSULTATIONS

The Head of Transport has advised that any permission that the Planning Authority may grant should include the following conditions:

CONDITIONS

- Any access gates shall be set back a minimum distance of 12.0 metres from the highway boundary, and shall open inwards into the site only.
- Prior to any use of the access by vehicular traffic, a visibility splay of 2.4 metres x 90 metres shall be formed and thereafter retained in perpetuity, either side of the centre line of the access in relation to the nearer edge of carriageway. In particular there shall at no time be any obstruction above 0.9 metres within this splay area.
- The access, visibility splays and turning area required, shall be wholly provided prior to any part of the development being brought into use, and thereafter shall be retained unobstructed in perpetuity. In particular, no part of the access, visibility splays, or turning area, is to be obstructed by non-motorised vehicles.
- 4 All surface water from the development herewith approved shall be trapped and disposed of so as to ensure that it does not flow on to any part of the public highway.
- No surface water from the development herewith approved shall be disposed of, or connected into, existing highway surface water drains.

The access shall be hard surfaced in a bonded material for a minimum distance of 12.0 metres behind the highway boundary, prior to any part of the development approved herewith being brought into use and thereafter maintained in perpetuity.

REASONS

1-6 In the interests of highway safety.

The relevant highway safety conditions will be attached to the decision notice should planning permission be granted.